

L Number	Hits	Search Text	DB	Time stamp
-	196	("474/8").CCLS.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:08
-	1094	("474/8,9,10,11,12,13,14").CCLS.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 10:16
-	112	((("474/8,9,10,11,12,13,14").CCLS.) and bolt	USPAT; US-PGPUB; EPO; JPO	2001/12/20 12:30
-	4	((("474/8,9,10,11,12,13,14").CCLS.) and fins	USPAT; US-PGPUB; EPO; JPO	2001/12/20 10:27
-	9	((("474/8,9,10,11,12,13,14").CCLS.) and vanes	USPAT; US-PGPUB; EPO; JPO	2001/12/20 10:28
-	132	474/93.ccls.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 13:54
-	420	474/144,145,146.ccls.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 13:54
-	1009	180/68.1,68.2.ccls.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:02
-	410	180/229,230,231.ccls.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:03
-	48	180/68.1,68.2.ccls. and pulley	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:02
-	41	180/229,230,231.ccls. and pulley	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:04
-	1996	411/\$.ccls. and bolt and thread	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:25
-	446	411/437.ccls.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:27
-	1025	411/\$.ccls. and bolt and shaft	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:29
-	573	411/\$.ccls. and bolt and shaft and axial	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:30
-	51	411/\$.ccls. and bolt and shaft and axial and chamfer\$2	USPAT; US-PGPUB; EPO; JPO	2001/12/20 11:30
-	20	("4574652"   "4666015"   "4704920"   "4722235"   "4736652"   "4736809"   "4817458"   "5152361"   "5515940"   "5699872").PN.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 12:25

-	0	((("474/8,9,10,11,12,13,14").CCLS.) and bolt) and chamfer	USPAT; US-PGPUB; EPO; JPO	2001/12/20 12:30
-	1	474/144,145,146.ccls. and chamfer	USPAT; US-PGPUB; EPO; JPO	2001/12/20 12:30
-	4	((("474/8,9,10,11,12,13,14").CCLS.) and chamfer	USPAT; US-PGPUB; EPO; JPO	2001/12/20 12:31
-	2	("6155371").PN.	USPAT; US-PGPUB; EPO; JPO;	2001/12/20 13:00
-	1	US-6155371-A.DID.	DERWENT	2001/12/20 13:01
-	1	474/144,145,146.ccls. and chamfer	USPAT; US-PGPUB; EPO; JPO	2001/12/20 13:54
-	0	474/93.ccls. and chamfer	USPAT; US-PGPUB; EPO; JPO	2001/12/20 13:55
-	11	474/\$.ccls. and pulley and bolt and chamfer\$2	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:03
-	23	474/\$.ccls. and bolt and chamfer\$2	USPAT; US-PGPUB; EPO; JPO	2001/12/20 13:59
-	46	474/\$.ccls. and pulley and bolt and (chamfer\$2 or bevel\$2)	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:03
-	35	(474/\$.ccls. and pulley and bolt and (chamfer\$2 or bevel\$2)) not (474/\$.ccls. and pulley and bolt and chamfer\$2)	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:01
-	1718	pulley and bolt and (chamfer\$2 or bevel\$2)	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:03
-	309	pulley and bolt and chamfer\$2	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:04
-	2	chamfered adj bolt adj hole	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:05
-	178	chamfered and bolt adj hole	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:06
-	22	411/497	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:11
-	8	411/497.ccls.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:11
-	204	411/436.ccls.	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:14

-	14	411/436.ccls. and chamfer	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:15
-	334	411/\$.ccls. and chamfer	USPAT; US-PGPUB; EPO; JPO	2001/12/20 14:15